



## (1) CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

### 1.1 Product Details

Product Name : Mold Cleaning Compound  
 Trade Name : Rubclean –  $\alpha$   
 Manufacturer's Code: RVL-8100  
 Use : Mold cleaning compound

### 1.2 Company Identification

Manufacturer's Name : Cape Technology Sdn. Bhd.  
 Manufacturer's Address : Plot 25, Bayan Lepas Industrial Estate,  
 Non-FTZ, Phase 4, 11900 Bayan Lepas,  
 Penang, Malaysia.  
 Distributor's Name : Cape Technology Sdn. Bhd.  
 Distributor's Address : Plot 25, Bayan Lepas Industrial Estate,  
 Non-FTZ, Phase 4, 11900 Bayan Lepas,  
 Penang, Malaysia.  
 Tel. No. : +6-04-642 6363  
 Emergency Tel. No. : +6-04-642 6363

### 1.3 Contact Point

Designation : Managing Director  
 Tel. No. : +6-04-642 6363

## (2) COMPOSITION / INFORMATION ON INGREDIENTS

<u>Chemical Name / Chemical Group</u>	<u>CAS Number</u>	<u>Proportion (%)</u>
Elastomer	Blend of rubbers	40-50
Silica	1344-00-9	25-40
Monoethanolamine	141-43-5	3-12
Titanium Dioxide	13463-67-7	1-2
Curing Agent	78-63-7	0.8-1.8

## (3) PHYSICAL AND CHEMICAL PROPERTIES

Apperance : White to yellowish solid in strip form  
 Odour : Mild  
 pH : Mild alkaline  
 Solubility : Not soluble in water  
 Boiling Point : Not applicable  
 Melting Point : Not applicable  
 Crystalline point (°C) : Not applicable  
 Vapour Pressure (mm of Hg at 25°C) : Not applicable  
 Percentage Volatiles : Not applicable  
 Evaporation Rate : Not applicable  
 Vapour Density : Not applicable  
 Specific Gravity : 1.1 – 1.3  
 Flash Point : Not applicable  
 Autoignition Temperature : Not applicable  
 Flammable limit (%) : Not applicable  
 Explosive/oxidizing properties : Not to be expected

## (4) HAZARD IDENTIFICATION

Most important hazards

Causes irritation  
Harmful if swallowed

**(5) FIRST AID MEASURES**

Ingestion : Induce vomiting. Get medical attention immediately.  
 Eye contact : Immediately flush with plenty of water for at least 15 minutes.  
 Get medical attention.  
 Skin contact : Immediately flush with plenty of water for at least 15 minutes.  
 Get medical attention.  
 Inhalation : Remove victim to fresh air. If breathing is difficult,  
 give oxygen.

**(6) FIRE FIGHTING MEASURES**

Extinguishing Media : Small fire: use dry chemical, foam or CO<sub>2</sub>  
 Large fire: use water spray  
 Fire Fighting Instruction : Shut off fuel to fire if it is possible to do so without hazard.  
 For small out door fires, portable fire extinguishers may be  
 used, and self contained breathing apparatus (SCBA) may  
 not be required. Respiratory and eye protections are required  
 for fire fighting personnel.  
 Special hazards : COx and NOx as possible decomposition products.  
 Notes to physician : This product may burn, but does not readily ignite.

**(7) ACCIDENTAL RELEASE MEASURES**

Leak / Spill : Transfer product to suitably labeled containers for recovery or disposal.  
 Report as per regulatory requirements.

**(8) HANDLING AND STORAGE**

Handling : No special precaution is necessary. Observed good industrial  
 housekeeping practices as for any rubber material.  
 Storage : Keep in cool (air-condition room temperature) & dry place away from  
 excessive heat and humidity.

**(9) EXPOSURE CONTROL AND PERSONAL PROTECTION**a. Exposure Limit

<i>Chemical Name</i>	<i>Standards*</i>	<i>Reference</i>
Elastomer	N.E.	OSHA, ACGIH
Silica	10mg/m <sup>3</sup>	DOSH
Amines	N.E.	OSHA, ACGIH
Titanium dioxide	10mg/m <sup>3</sup>	DOSH
Curing agent	N.E.	OSHA, ACGIH

*NOTE: \* Eight-hour time-weighted average exposure unless stated otherwise*

*N.E. – Not Established*

*OSHA – Occupational Safety and Health Act*

*ACGIH – American Conference of Government Industrial Hygienists*

*DOSH – Department of Occupational Safety and Health, Malaysia*

b. Ventilation

Use general or local exhausts ventilation to meet exposure limit requirements.

c. Personal Protection

Eye/skin protection : Safety goggles & cotton gloves are recommended.  
 Respiratory Protection : Not required where adequate ventilation conditions exist but face mask is advised. If airborne concentration exceeds exposure level, a high efficiency particulate respirator is recommended.

#### (10) STABILITY AND REACTIVITY

Stability : Stable under ordinary conditions of use and storage.  
 Conditions to avoid : Excess heat, flame and sources of ignition  
 Incompatibles : Water, acid, base, hydrocarbon solvent and oil  
 Decompositions Products : Oxide of carbon, nitrogen  
 Hazardous polymerization : Will not occur

#### (11) TOXICOLOGICAL INFORMATION

##### Toxicity Data

No data

##### Carcinogenicity

No data

##### Reproductive Effect

No data

##### Effects of overexposure

<i>Route of Entry</i>	<i>Effects</i>
Inhalation	May cause nausea, vomiting, dizziness, and irritation of respiratory with coughing and difficult breathing.
Skin contact	Irritation.
Eye Contact	May cause irritation if direct contact.
Ingestion	Harmful if swallowed. May cause nausea and vomiting. May cause irritation and burning to stomach.

##### Chronic Effects

No data

##### Target Organs

Respiratory system, eyes and skin.

#### (12) ECOLOGICAL INFORMATION

Mobility : Not miscible in water  
 Bioaccumulation : Low bioconcentration factor (BCF)  
 Biodegradability : Not biodegradable.  
 Aquatic Toxicity : No information found.  
 Environmental Toxicity : No information found

**(13) DISPOSAL INFORMATION**

Disposal of waste to be carry out at the city, state or federally permitted disposal facility. Handle in accordance with applicable regulations and/or local authorities.

**(14) TRANSPORTATION INFORMATION**

DOT Shipping Name: Not hazardous per DOT guidelines.  
Please refer to local transportation regulations.

**(15) REGULATORY INFORMATION**

- a. Proposed classification : Irritant
- b. *Risk Phrase*  
R22 Harmful if swallowed  
R36/38 Irritating to eyes and skin
- c. *Safety Phrases*  
S37/39 Wear suitable gloves and face protection

**(16) OTHER INFORMATION**

## PRECAUTIONARY LABELLING

## BAKER SAF-T-DATA (TM) SYSTEM

HEALTH	-	1	SLIGHT
FLAMMABILITY	-	1	SLIGHT
REACTIVITY	-	2	MODERATE
CONTACT	-	2	MODERATE

HAZARD RATING ARE 0 TO 4 (0 = NO HAZARD; 4 = EXTREME HAZARD)

## LABORATORY PROTECTIVE EQUIPMENT

Safety Glasses, Cotton Glove, Dust Mask

SAF-T-DATA (TM) STORAGE COLOR CODE : ORANGE (GENERAL STORAGE)

OTHER INFORMATION : NO DANGEROUS GOOD

**WARRANTY AND DISCLAIMER**

The information contained herein is to the best of our knowledge true and accurate. However, no warranty is expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof. Cape Technology Sdn Bhd assumes no responsibility for any personal injury or property damage of any kind to vendees, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of the material. The above includes confidential and proprietary information of Cape Technology Sdn Bhd and is furnished to you solely on product processes supplied by us to you.